



Programme

30 September – 4 October 2018
Prague, Czech Republic



ENS CONFERENCE

Organised in cooperation with





We would like to Thank our
TopFuel 2018 Goldsponsors

framatome

 **Westinghouse**



Sunday 30 September 2018

17:00 - 19:00 Pre-registration

18:00 – 19:30 Welcome Reception

The Welcome Reception is sponsored by



Monday 1 October 2018

Mo 8.30 – 10.30 Opening Plenary Session

Chair: A. Laird, President European Nuclear Society; Co-chair: J. Klouzal, UJV, Czech Republic

An overview on nuclear power in the Czech Republic

D. Drabova, State Office for Nuclear Safety, Czech Republic

Fuel of 2050: continuity or disruptive innovation?

C. Xerri, IAEA

Perspectives of the nuclear industry and nuclear fuel development in Europe

D. Iracane, OECD

Enhanced accident tolerant fuel

K. Pasamehmetoglu, Idaho National Laboratory

Transformative Innovation: Fuel Designs to Address Utility Cost and Safety Imperatives

K. Canavan, Westinghouse

60 Years of Framatome – Fuel(ed) with Passion, Shaping the Future

R. Koch, Framatome

Mo 10.30 – 11.00 Coffee break

TOP FUEL

REACTOR FUEL PERFORMANCE 2018



Mo 11.00 – 13.00 EATF Keynote Session

Chair: N. Waeckel, EDF, France

Co-chair: M. Verwerft, SCK-CEN, Belgium

TopFuel2018-A0034	Japanese R&D Program for Establishing Technical Basis of Accident Tolerant Fuel Materials	<p>Yamashita, S. (1); Ioka, I. (1); Nemoto, Y. (1); Kaji, Y. (1); Fukahori, T. (1); Nozawa, T. (2); Watanabe, S. (3); Kirimura, K. (4); Sato, H. (5); Kondo, T. (6); Sakamoto, K. (7); Kusagaya, K. (8); Ukai, S. (9); Kimura, A. (10); Yamaji, A. (11)</p> <p>1 - Japan Atomic Energy Agency, Japan 2 - National Institutes for Quantum and Radiological Science and Technology, Japan 3 - Mitsubishi Nuclear Fuel, Co., Ltd., Japan 4 - Mitsubishi Heavy Industries, Ltd., Japan 5 - Toshiba Energy Systems & Solutions Corporation, Japan 6 - Hitachi-GE Nuclear Energy, Ltd., Japan 7 - Nippon Nuclear Fuel Development, Co., Ltd., Japan 8 - Global Nuclear Fuel – Japan, Japan 9 - Hokkaido University, Japan 10 - Kyoto University, Japan 11 - Waseda University, Japan</p>
TopFuel2018-A0036	OVERVIEW OF ACCIDENT TOLERANT FUEL DEVELOPMENT FOR LWRS	<p>Kim, H.-G. (1); Yang, J.-H. (1); Koo, Y.-H. (1); Kim, J. (2); Shin, H. (2); Yoo, J. (3); Mok, Y.-K. (3)</p> <p>1 - KAERI, Korea, Republic of 2 - KHNP, Korea, Republic of 3 - KepcoNF, Korea, Republic of</p>
TopFuel2018-A0141	PATH TOWARDS INDUSTRIALISATION OF ENHANCED ACCIDENT TOLERANT FUEL	<p>Lin, Y.-P. (1); Fawcett, R. (1); Cantonwine, P. (1); Yilmaz, M. (1); Rebak, R. (2); Dunavant, R. (3); Satterlee, N. (3); Desilva, S. (1); Rand, R. (1); Lutz, D. (1); Davis, P. (1)</p> <p>1 - Global Nuclear Fuel, United States 2 - GE Global Research Center, United States 3 - Southern Nuclear, United States</p>
TopFuel2018-A0151	Overview of Westinghouse Lead Accident Tolerant Fuel Program	<p>Lahoda, E. (1); Oelrich, R. (1); Karoutas, Z. (1); Ray, S. (1); Boylan, F. (1); Xu, P. (1); Romero, J. (1); Shah, H. (1)</p> <p>1 - Westinghouse Electric Company LLC, United States</p>



TopFuel2018-A0152	Cr-coated cladding development at Framatome	Bischoff, J. (1); Delafoy, C. (1); Chaari, N. (1); Vauglin, C. (1); Barberis, P. (1); Schuster, F. (2); Brachet, J.-C. (2); Nimishakavi, K. (3); Monsifrot, E. (4) 1 - Framatome, France 2 - CEA, France 3 - Framatome Inc, United States 4 - DEPHIS, France
TopFuel2018-A0244	The Research on Accident Tolerant Fuel in CGN	Liu, T. (1); Xue, J. (1); Li, R. (1); Li, L. (1); Zhang, Q. (1); 1 - China Nuclear Power Technology Research Institute Co., Ltd., China General Nuclear Power Corporation, China

Mo 11.00 – 13.00 IAEA FUMAC Project

Chair: M. Veshchunov, IAEA; Co-chair: J. Zhang, Tractebel (ENGIE), Belgium

TopFuel2018-A0198	FUMAC: IAEA's Coordinated Research Project on Fuel Modelling in Accident Conditions.	Veshchunov, M. (1); Stuckert, J. (2); Van Uffelen, P. (3); Wiesenack, W. (4); Zhang, J. (5) 1 - IAEA, Austria 2 - KIT, Germany 3 - EC/ITU, Germany 4 - IFE, Norway 5 - Tractebel-ENGIE, Belgium
TopFuel2018-A0202	IAEA FUMAC Benchmark on KIT Bundle Test CORA-15	Stuckert, J. (1); Austregesilo, H. (2); Hollands, T. (2); Kiselev, A. (3) 1 - Karlsruhe Institute of Technology (KIT), Germany 2 - Gesellschaft für Anlagen und Reaktorsicherheit (GRS) gGmbH, Germany 3 - Nuclear Safety Institute (IBRAE), Russian Academy of Sciences, Russian Federation
TopFuel2018-A0206	IAEA FUMAC Benchmark on Uncertainty and Sensitivity Analysis for Fuel Rod Code Simulation of the Halden LOCA Test IFA-650.10	Zhang, J. (1); Bouloré, A. (2) 1 - Tractebel (ENGIE), Belgium 2 - CEA, France



TopFuel2018-A0222	IAEA FUMAC Benchmark on the Halden, Studsvik and QUENCH-L1 LOCA tests	Pizzocri, D. (1); Bouloré, A. (2); Stuckert, J. (3); Van Uffelen, P. (4); Wiesenack, W. (5); Zhang, J. (6) 1 - Politecnico di Milano, Department of Energy, Nuclear Engineering Division, Italy 2 - CEA, DEN, DEC Fuel Research Department, Cadarache, France 3 - Karlsruhe Institute of Technology, Germany 4 - European Commission, Joint Research Centre, Directorate for Nuclear Safety and Security, Germany 5 - Institutt for energiteknikk, OECD Halden Reactor Project, Norway 6 - Tractebel (ENGIE), Belgium
TopFuel2018-A0240	IAEA FUMAC benchmark of fuel performance codes based on LOCA separate-effects cladding tests	Pastore, G. (1); Kulacsy, K. (2) 1 - Fuel Modeling and Simulation Department, Idaho National Laboratory, United States 2 - Fuel and Reactor Materials Department, Centre for Energy Research, Hungarian Academy of Sciences, Hungary

Mo 13.00 – 14.00 Lunch

Mo 14.00 – 15.40 EATF

Chair: C. Cozzo, Paul Scherrer Institut, Switzerland

Co-chair: R. Delville, EDF, France

TopFuel2018-A0001	Implementation of Westinghouse ATF into PWRs: Fuel Cycle Economics and Operational Flexibility Improvements	Lahoda, E. J. (1); Ray, S. (1); Oelrich, R. (1); King, J. (1); Franceschini, F. (1) 1 - Westinghouse, United States
TopFuel2018-A0021	The Effects of TRISO Particle Distribution on Thermal Behavior of Fully Ceramic Microencapsulated Fuel	Jung, C. (1) 1 - KEPCO Nuclear Fuel, Korea, Republic of
TopFuel2018-A0060	Enhanced Radial Thermal Conductivity of UO ₂ Fuel Pellets with Molybdenum Microplates	Kim, D. S. (1); Kim, D.-J. (1); Oh, J. S. (1); Jeon, S.-C. (1); Kim, K. S. (1); Kim, J. H. (1); Yang, J. H. (1) 1 - Korea Atomic Energy Research Institute, Korea, Republic of
TopFuel2018-A0114	Code qualification for traditional LWR fuel	Geelhood, K. (1); Porter, I. (2); Bales, M. (2) 1 - Pacific Northwest National Laboratory, United States 2 - United States Nuclear Regulatory Commission, United States

TOP FUEL

REACTOR FUEL PERFORMANCE 2018



TopFuel2018-A0178	INSPECTION CAPABILITIES AND IN-PILE EXPERIENCE OF INNOVATIVE (EATF) MATERIALS AT KERNKRAFTWERK GÖSGEN-DÄNIKEN (KKG)	Girardin, G. (1); Meier, R. (1); Jatuff, F. (1); Bischoff, J. (2); Delafoy, C. (2); Schweitzer, E. (3) 1 - Kernkraftwerk Gösgen-Däniken, Nuclear Fuel Division, Switzerland 2 - Framatome, Fuel Design, France 3 - Framatome, Materials & Thermal-Mechanics, Germany
-------------------	---	---

Mo 14.00 – 15.40 Operation & Experience

Chair: D. Schrire, Vattenfall, Sweden

Co-chair: J. Desquines, IRSN, France

TopFuel2018-A0018	PERFORMANCE CAPABILITIES OF THE MIR.M1 REACTOR FOR DEMONSTRATING TECHNICAL FEASIBILITY OF ENHANCED ACCIDENT TOLERANT FUEL	Tuzov, A. (1); Izhutov, A. (1); Petelin, A. (1); Burukin, A. (1); Ovchinnikov, V. (1) 1 - JSC "SSC RIAR", Russian Federation
TopFuel2018-A0058	Experience and Opportunities of JSC "INM" Reactor and Experimental Facilities for Fuel Materials Testing	Koshcheev, K. (1); Markov, D. (1); Ilyin, K. (1); Seleznev, E. (1); Shushlebin, V. (1); Beltyukov, I. (1); Kozlov, A. (1); Shabelnikov, E. (1); Barybin, A. (1) 1 - Joint Stock Company "Institute of Nuclear Materials", Russian Federation
TopFuel2018-A0089	Experimental and simulation results of Expansion-Due-to-Compression tests with different strain biaxiality ratios on Zircaloy-4 cladding for RIA situation	Zouari, A. (1); Bono, M. (1); Leboulch, D. (1); Lejolu, T. (1); Besson, J. (2); Crepin, J. (2) 1 - French Alternative Energies and Atomic Energy Commission (CEA), France 2 - MinesParistech, France
TopFuel2018-A0095	NON-DESTRUCTIVE PRESSURE MEASUREMENT TECHNIQUE FOR IRRADIATED NUCLEAR FUEL RODS	Montgomery, R. (1); Chatzidakis, S. (1); Cetiner, S. (1); Kisner, R. (1) 1 - Oak Ridge National Laboratory, United States
TopFuel2018-A0140	Bow Evaluations to Support Fuel Assembly Design Improvements	Aleshin, Y. (1); O'Cain, M. (1); Gabriellsson, P. (2); Loberg, J. (2) 1 - Westinghouse, United States 2 - Vattenfall Nuclear Fuel, Sweden

Mo 14.00 – 15.40 Transient Fuel Behaviour I

Chair: N. Waeckel, EDF, France

Co-chair: R. Daum, EPRI, United States

TopFuel2018-A0010	Comparative high-temperature oxidation tests with Zircaloy-4 in various atmospheres	Steinbrück, M. (1); Van Appeldorn, P. (1) 1 - Karlsruhe Institute of Technology, Germany
TopFuel2018-A0040	Effect of an oxide layer on the result of a ring compression test performed on a fuel cladding sample after a simulated LOCA transient	Desquines, J. (1); Guilbert, S. (1) 1 - IRSN, France
TopFuel2018-A0046	Thermal Resistance Effects of Oxide and Crud Layer to the Safety Analysis	Lee, J. (1); Jeong, H. (1); Bang, Y. (1) 1 - KINS, Korea, Republic of
TopFuel2018-A0064	New Insight on Volatile Fission Products (I and Cs) release from high burnup UO ₂ fuel under LOCA type conditions	Pontillon, Y. (1); Moysan, I. (1); Bernard, S. (1); Ledieu, M. (1) 1 - CEA, France

Mo 15.40 – 16.10 Coffee Break

Mo 16.10 – 17.50 EATF

Chair: C. Delafoy, Framatome, France

Co-chair: K. Lambrinou, SCK-CEN

TopFuel2018-A0068	Enhancement of flow boiling performance of Zirconium-Silicide ATF by electrophoretic deposition (EPD)	Kim, M. (1); Noh, H. (1); Lee, G. C. (1); Kim, T. H. (1); Kim, T. K. (2); Yeom, H. (3); Jo, H. (3); Sridharan, K. (3); Park, H. S. (2); Kim, M. H. (2) 1 - Department of mechanical engineering, Pohang University of Science and Technology (POSTECH), Korea, Republic of 2 - Division of Advanced Nuclear Engineering, Pohang University of Science and Technology (POSTECH), Korea, Republic of 3 - Department of Engineering Physics, University of Wisconsin-Madison, United States
TopFuel2018-A0070	Pre-oxidation effect of a zirconium-silicide sputtered surface on boiling performance and oxidation resistance	Lee, G. C. (1); Noh, H. (1); Yeom, H. (2); Jo, H. (2); Kim, M. (1); Kim, T. K. (1); Sridharan, K. (2); Kim, M. H. (1); Park, H. S. (1) 1 - POSTECH, Korea, Republic of 2 - UW-Madison, United States
TopFuel2018-A0076	Severe Accident Evaluations for Conventional PWR Power Plant with SiC	Yamakoshi, Y. (1); Kirimura, K. (1); Kuramoto, H. (1); Noda, T. (1);



	Composite Fuel Cladding	Yamashita, S. (2); Fukahori, T. (2) 1 - Mitsubishi Heavy Industries, Ltd., Japan 2 - Japan Atomic Energy Agency, Japan
TopFuel2018-A0086	Modelling of an accident tolerant fuel design using FEMAXI6	Foral, S. (1); Katovsky, K. (1); Salamon, D. (2); Rolecek, J. (2); Varmuza, J. (1) 1 - Department of Electrical Power Engineering, Brno University of Technology, Czech Republic 2 - CEITEC - Central European Institute of Technology, Brno University of Technology, Czech Republic
TopFuel2018-A0109	Status Update on Westinghouse SiC Composite Cladding Fuel Development	Xu, P. (1); Lahoda, E. (1); Lyons, J. (1); Deck, C. (2); Kohse, G. (3) 1 - Westinghouse Electric Company, United States 2 - General Atomics, United States 3 - Massachusetts Institute of Technology, United States

Mo 16.10 – 17.50 Operation & Experience

Chair: C. Muñoz-Reja, ENUSA, Spain Co-Chair: S. Watanabe, Mitsubishi Nuclear Fuel, Japan

TopFuel2018-A0159	Accelerated Irradiation Testing of Miniature Nuclear Fuel and Cladding Specimens	Petrie, C. (1); Koyanagi, T. (1); Howard, R. (1); Field, K. (1); Burns, J. (1); Terrani, K. (1) 1 - Oak Ridge National Laboratory, United States
-------------------	--	--

TOP FUEL

REACTOR FUEL PERFORMANCE 2018



TopFuel2018-A0172	Causes of Increased Corrosion and Hydrogen Uptake of Zircaloy-2 Cladding at High Burnups – A Comparative Study of the Chemical Composition of a 3 Cycle and a 9 Cycle Cladding	Baris, A. (1); Grabherr, R. (1); Restani, R. (1); Schäublin, R. (2); Chiu, Y. L. (3); Evans, H. E. (3); Ammon, K. (4); Limbäck, M. (5); Abolhassani, S. (1) 1 - Paul Scherrer Institut, Switzerland 2 - ETH Zürich, Switzerland 3 - University of Birmingham, United Kingdom 4 - Kernkraftwerk Leibstadt, Switzerland 5 - Westinghouse Electric Sweden AB, Sweden
TopFuel2018-A0186	PRE-EXISTING SURFACE SCRATCHES PROMOTING FLAKING OF SHADOW CORROSION ON BWR CLADDING	Carling, K. (1); Tengstrand, O. (2); Alvarez, A.-M. (2); Schrire, D. (3) 1 - Ringhals AB, Sweden 2 - Studsvik Nuclear AB, Sweden 3 - Vattenfall Nuclear Fuel, Sweden
TopFuel2018-A0197	Nuclear Fuel and Materials Research, Experimental Capabilities, and Continuation of the Halden Reactor Project after the permanent shutdown of the Halden Reactor	Holcombe, S. (1); Haugen, K.-M. (1); Kvalem, J. (1) 1 - Institute for Energy Technology , Norway
TopFuel2018-A0211	Estimation of hydrogen in Zircaloy using multi frequency eddy current	Beale, J. (1); Yoon, B. (1); Daum, R. (1); Hanlon, S. (2) 1 - EPRI, United States 2 - Canadian Nuclear Laboratory, Canada

Mo 16.10 – 17.50 Transient Fuel Behaviour II

Chair: O. Marchand, IRSN, France Co-chair: J. Zhang, Tractebel (Engie), Belgium

TopFuel2018-A0093	Behaviors of High-burnup LWR Fuels with Improved Materials under Design-basis Accident Conditions	Amaya, M. (1); Udagawa, Y. (1); Narukawa, T. (1); Mihara, T. (1); Taniguchi, Y. (1) 1 - Japan Atomic Energy Agency, Japan
TopFuel2018-A0113	Modeling Axial Relocation of Fragmented Fuel during Loss of Coolant Conditions using the Bison Fuel Performance Code	Gamble, K. (1) 1 - Idaho National Laboratory, United States
TopFuel2018-A0125	APPLICATION OF TRANSIENT FUEL ROD PERFORMANCE CODE FRAPTRAN FOR SFP-LOCA TEST	Inagaki, K. (1); Nakamura, K. (1); Sonoda, T. (1) 1 - Central Research Institute of Electric Power Industry, Japan
TopFuel2018-A0133	Simulation of Loss-of-Coolant Accidents in the CODEX integral test facility	Hózer, Z. (1); Nagy, I. (1); Vér, N. (1); Farkas, R. (1); Horváth, M. (1); Kis, Z. (1) 1 - Hungarian Academy of Sciences, Centre for Energy Research, Hungary



TopFuel2018-A0134	Secondary hydriding experiments and simulation on Zr-1%Nb claddings	Kozsda-Barsy, E. (1); Kulacsy, K. (1); Hózer, Z. (1); Horváth, M. (1); Kis, Z. (1); Maróti, B. (1); Nagy, I. (1); Nagy, R. (1); Novotny, T. (1); Perez-Feró, E. (1); Pintér-Csordás, A. (1); Szentmiklósi, L. (1) 1 - Centre for Energy Research, Hungarian Academy of Sciences, Hungary
-------------------	---	---

Tuesday 2 October 2018

Tu 9.00 – 10.40 Modelling I: Coupled codes and analysis

Chair: J. Zhang, Tractebel (Engie), Belgium

Co-chair: A. Schubert, JRC, Germany

TopFuel2018-A0015	Development of fully coupled FRAPTRAN with MARS-KS code system for calculation of fuel behavior during LOCA	Kim, H. (1); Shin, C. (1); Yang, Y. (1); Kim, T. (2) 1 - Korea Atomic Energy Research Institute, Korea, Republic of 2 - Incheon National University, Korea, Republic of
TopFuel2018-A0038	Towards a more detailed mesoscale fission product analysis in fuel performance codes: a coupling of the TRANSURANUS and MFPR-F codes	Pavlov, T. R. (1); Van uffelen, P. (2); Kremer, F. (1); Schubert, A. (2); Dubourg, R. (1) 1 - Institut de Radioprotection et de Sureté Nucléaire, France 2 - European Commission, Joint Research Centre, Germany
TopFuel2018-A0084	High Burnup Structure formation and growth and fission product release modelling: new simulations in the mechanistic code MFPR-F	Kremer, F. (1); Cappia, F. (2); Dubourg, R. (1); Rondinella, V. (2); Schubert, A. (2); Van Uffelen, P. (2); Wiss, T. (2) 1 - Institut de Radioprotection et de Sureté Nucléaire, France 2 - European Commission, Joint Research Centre, Germany
TopFuel2018-A0096	Industry Use of CASL tools	Ray, S. (1); Clarno, K. (2); Kucukboyaci, V. (1); Sung, Y. X. (1); Godfrey, A. (2); Kersting, P. (1); Brewster, R. (1) 1 - Westinghouse Electric Company, United States 2 - Oak Ridge National Laboratories, United States



TopFuel2018- A0163	Update on Westinghouse Benefits of EnCore® Fuel	Karoutas, Z. (1); Luangdilok, W. (2); Shockling, M. (1); Schneider, R. (1); Lahoda, E. (1); Xu, P. (1) 1 - Westinghouse Electric Company, United States 2 - Fauske Associates, United States
-----------------------	--	---

Tu 9.00 – 10.40 Operation & Experience

Chair: N. Hollasky, BelV, Belgium Co-chair: E. Mader, EPRI, United States

TopFuel2018- A0111	GNF Fuel Reliability and Channel Performance: 2018 Update	Cantonwine, P. (1); Schneider, R. (1); Lin, Y.-P. (1); Mccumbee, P. (1) 1 - Global Nuclear Fuel Americas, United States
TopFuel2018- A0123	IN-REACTOR CREEP BEHAVIOR OF ZIRLO AND OPTIMIZED ZIRLO CLADDING	Del Rio Luna, I. (1); Muñoz Sicilia, A. (1); Pan, G. (2); Long, Y. (2) 1 - ENUSA Industrias Avanzadas S.A., Spain 2 - Westinghouse Electric Company, United States
TopFuel2018- A0136	Westinghouse 17X17 RFA Fuel Performance	O'Cain, M. (1); Choithramani Becerra, S. (2); Taborda, F. (3); Helmersson, B. (4); Ryttersson, K. (4); McKenzie, R. (5); Nilsson, J. (5); Walker, A. (5); De Maria, S. (2) 1 - Westinghouse, United States 2 - ENUSA, Spain 3 - Westinghouse, France 4 - Westinghouse, Sweden 5 - Westinghouse, United Kingdom
TopFuel2018- A0138	Oxidation and hydrogen pickup properties of Zircaloy cladding upon deposition of platinum nanoparticles in boiling water reactor environment	Rowthu, S. (1); Grundler, P. V. (1); Ritter, S. (1); Helmerston, B. (2); Oliver, L. (2) 1 - Paul Scherrer Institut, Laboratory for Nuclear Materials, Nuclear Energy and Safety Division, Switzerland 2 - Westinghouse Electric Sweden AB, Sweden

Tu 9.00 – 10.40 Transient Fuel Behaviour III

Chair: M. Amaya, JAEA, Japon

Co-chair: J.J. Vermoyal, EDF, France

TopFuel2018- A0170	Simulation of iron-chrome-aluminum alloy cladding under LOCA conditions using the BISON fuel performance code	Sweet, R. (1); Terrani, K. (2); Wirth, B. (1) 1 - University of Tennessee, United States 2 - Oak Ridge National Laboratory, United States
-----------------------	---	---

TOP FUEL

REACTOR FUEL PERFORMANCE 2018



TopFuel2018-A0187	Dynamics of hydride precipitation during LOCA quench process can significantly preserve cladding's ductility	Sonnenburg, H.-G. (1); Boldt, F. (1) 1 - Gesellschaft für Anlagen- und Reaktorsicherheit (GRS) GmbH, Germany
TopFuel2018-A0226	High Temperature Oxidation of Sponge-based E110 Alloy in Air	Vrbka, P. (1); Krejčí, J. (2); Kabátová, J. (2); Kočí, J. (2); Manoch, F. (2); Vrtílková, V. (2) 1 - Czech Technical University in Prague, Czech Republic 2 - UJP PRAHA a.s., Czech Republic
TopFuel2018-A0239	Research of high-temperature oxidation behavior of E110opt and E110M sponge based zirconium alloys	Malgin, A. G. (1); Markelov, V. A. (1); Novikov, V. V. (1); Shelepov, I. A. (1); Donnikov, V. E. (2); Latunin, V. I. (2); Linhart, S. (3); Belac, J. (3); Vrtilkova, V. (4); Krejci, J. (4); 1 - SC "VNIINM", Russian Federation 2 - JSC VTI, Russian Federation 3 - ALVEL, a.s., Czech Republic 4 - UJP PRAHA a.s., Czech Republic
TopFuel2018-A0171	High temperature oxidation test of simulated BWR fuel bundle in steam-starved conditions	Yamazaki, S. (1); Pshenichnikov, A. (1); Pham, V. H. (1); Sakamoto, K. (2); Tokushima, K. (3); Aomi, M. (3); Nagae, Y. (1); Kurata, M. (1) 1 - Japan Atomic Energy Agency, Japan 2 - Nippon Nuclear Fuel Development Co., Ltd., Japan 3 - Global Nuclear Fuel-Japan Co., Ltd., Japan

Tu 10.40 – 11.10 Coffee Break

Tu 11.10 – 13.10 EATF

Chair: N. Vollmer, Framatome, Germany

Co-chair: P. Xu, Westinghouse, United States

TopFuel2018-A0105	Demonstration of Engineered Multi-Layered SiC-SiC Cladding With Enhanced Accident Tolerance	Deck, C. (1); Khalifa, H. (1); Jacobsen, G. (1); Sheeder, J. (1); Shapovalov, K. (1); Gonderman, S. (1); Song, E. (1); Gazza, J. (1); Xu, P. (2); Boylan, F. (2); Jacko, R. (2); Back, C. (1) 1 - General Atomics, United States 2 - Westinghouse Electric Company LLC, United States
TopFuel2018-A0155	Out of Pile Test with SiC Cladding Simulating LOCA Conditions	Furumoto, K. (1); Watanabe, S. (1); Sato, D. (1); Yamato, M. (2); Okamoto, M. (2); Yamashita, S. (3); Fukahori, T. (3) 1 - Mitsubishi Nuclear Fuel Co. Ltd., Japan 2 - Mitsubishi Heavy Industries Ltd., Japan 3 - Japan Atomic Energy Agency, Japan
TopFuel2018-A0207	Characterization of thermal properties of SiCf/SiC composites for enhanced Accident Tolerant Fuel cladding	Duquesne, L. (1); Bischoff, J. (1); Chabretou, V. (1); Delafoy, C. (1); Lorrette, C. (2); Batsale, J.-C. (3); Vignoles, G. L. (4); Perche, D. (1) 1 - Framatome, France 2 - CEA, France 3 - I2M-TREFLE, France 4 - LCTS, France
TopFuel2018-A0042	Machining induced fissures in relation microstructure of uranium silicide fuel pellets	Wagner, A. R. (1); Harp, J. M. (1); Watkins, J. K. (2); Tolman, K. R. (1) 1 - Idaho National Laboratories, United States 2 - Boise State University, United States
TopFuel2018-A0090	Progress in the Development of High Density Fuels for Enhanced Accident Tolerance	Goddard, D. (1); Paul, J. (1); Logsdon, R. (1); Vernon, E. (2); Buckley, J. (3); Abram, T. (3); Rennie, S. (4); Lawrence-Bright, E. (4); Harding, L. (4); Springell, R. (4) 1 - National Nuclear Laboratory, Preston Laboratory, United Kingdom 2 - National Nuclear Laboratory, United Kingdom 3 - University of Manchester, United Kingdom 4 - University of Bristol Interface Analysis Centre, United Kingdom
TopFuel2018-A0112	U3Si2 Developments in Falcon V1 at PSI	Cozzo, C. (1); Khvostov, G. (1) 1 - Laboratory for Reactor Physics and Thermal-Hydraulics Paul Scherrer Institut, Switzerland

Tu 11.10 – 13.10 Modelling II: Fuel rod codes

Chair: M. Dostal, UJV Rez, Czech Republic Co-chair: K. Geelhood, PNNL, U.S.A.

TopFuel2018-A0043	SIMULATE5 FUEL PIN MODEL DESCRIPTION AND VERIFICATION AGAINST ENIGMA	Grandi, G. (1) 1 - Studsvik Scandpower, Inc., United States
TopFuel2018-A0074	Analysis of stress applied to fuel cladding with a burst opening under vibration	Kitano, K. (1); Ozawa, M. (1) 1 - Regulatory Standard and Research Department, Secretariat of Nuclear Regulation Authority (S/NRA/R), Japan
TopFuel2018-A0116	Expanded Assessment of FRAPCON and FAST for Power Ramp Cases with short hold times and Advanced UO ₂ fuel with various dopants	Richmond, D. (1); Geelhood, K. (1) 1 - Pacific Northwest National Laboratory, United States
TopFuel2018-A0031	Establishment OF Centerline Temperatures in Irradiated Nuclear Fuels	Onder, N. (1); Yatabe, S. (1); Roubtsov, D. (1) 1 - Canadian Nuclear Laboratories, Canada
TopFuel2018-A0122	Improvements of PCMI Criterion for Anticipated Operational Occurrences	Rautenberg, M. (1); Le jolu, T. (2); Bono, M. (2); Garnier, C. (3); Ambard, A. (1); Pouillier, E. (1); Vermoyal, J.-J. (1); Bourlier, F. (3); Bossis, P. (2) 1 - EDF, France 2 - CEA, France 3 - Framatome, France
TopFuel2018-A0162	APPLICATION OF THE TRANSURANUS CODE TO HIGH BURN-UP LOCA TESTS IN VIEW OF 10 CFR 50.46c	Cherubini, M. (1); Lampunio, L. (1) 1 - N.IN.E. - Nuclear and Industrial Engineering, Italy

Tu 11.10 – 13.10 Transient Fuel Behaviour IV

Chair: N. Waeckel, EDF, France Co-chair: J. Desquines, IRSN, France

TopFuel2018-A0041	Mechanical behavior of as-fabricated Zircaloy-4 claddings under the simulated thermo-mechanical post-DNB conditions of a Reactivity Initiated Accident (RIA)	Jailin, T. (1); Tardif, N. (2); Desquines, J. (1); Coret, M. (3); Baietto, M.-C. (2); Breville, T. (4); Chaudet, P. (2); Georgenthum, V. (1) 1 - Institut de Radioprotection et de Sûreté Nucléaire (IRSN), PSN-RES/SEREX/LE2M, Cadarache, France 3 - GeM (UMR 6183), École Centrale de Nantes, France 4 - ATYS Consulting Group, Herbeys, France
-------------------	--	--



TopFuel2018-A0051	ANISOTHERMAL BEHAVIOUR OF UNIRRADIATED CWSR ZIRCALOY-4 FUEL CLADS UNDER RIA CONDITIONS	Chaieb, A. (1); Mozzani, N. (1); Köster, A. (2); Parrot, A. (1); Ambard, A. (1); Crepin, J. (2) 1 - EDF, Electricité de France, Département Matériaux et Mécanique des Composants, France 2 - Centre des Matériaux, Mines Paristech, CNRS UMR 7633, France
TopFuel2018-A0081	Evaluation of the consequences of fuel dispersion and interaction with coolant following a cladding failure induced by a RIA	Ruyer, P. (1); Zhou, Y. (1); Abbate, A. (1); Zou, Z. (1); Aussillous, P. (2); Rulliere, R. (3); Haberschill, P. (3) 1 - Institut de Radioprotection et de Sûreté Nucléaire (IRSN), PSN-RES, SEMIA, LIMAR, France 2 - Aix-Marseille Univ, CNRS, IUSTI, Marseille, France 3 - Univ. Lyon, CNRS, France
TopFuel2018-A0168	The TREAT Experiment Legacy Supporting LWR Fuel Technology	Jensen, C. (1); Woolstenhulme, N. (1); Wachs, D. (1) 1 - Idaho National Laboratory, United States
TopFuel2018-A0208	Consequences of leaking fuel rod failure during RIA transients	Bernaumat, C. (1); Delplace, J. (1); Lafon, P. (2); Antoinat, L. (2) 1 - Electricité de France, DIPNN/DT, France 2 - Electricité de France, R&D/ERMES, France
TopFuel2018-A0209	Updated RIA criteria in France	Bernaumat, C. (1); Kececioglu, A. (2); Billat, H. (1); Vermoyal, J.-J. (1); Waeckel, N. (1) 1 - Electricité de France, DIPNN/DT, France 2 - Electricité de France, R&D/MMC, France

Tu 13.10 – 14.00 Lunch Break

Tu 14.00 – 15.00 Poster Session

Poster will be on display during the entire duration of the conference.

This Poster Session allows you to discuss the presentations with the authors.

Tu 15.00 – 16.20 EATF

Chair: J. Wright, Westinghouse, Sweden

Co-chair: M. Quecedo, ENUSA, Spain

TopFuel2018-A0063	SCRATCH AND FRETTING WEAR CHARACTERISTICS OF SURFACE MODIFIED CLADDINGS FOR ACCIDENT-TOLERANT FUEL	Lee, Y.-H. (1); Park, J. H. (1); Park, D. J. (1); Jung, Y.-I. (1); Choi, B.-K. (1); Kim, I. H. (1); Kim, H. G. (1) 1 - Korea Atomic Energy Research Institute, Korea, Republic of
TopFuel2018-A0100	Behavior of Cr-coated M5™ claddings during and after high temperature steam oxidation from 800°C up to 1500°C (Loss-of-Coolant Accident & Design Extension Conditions)	Brachet, J.-C. (1); Guilbert, T. (1); Le saux, M. (1); Bischoff, J. (2); Pouillier, E. (3); Palancher, H. (4); Michau, A. (1); Schuster, F. (1) 1 - CEA, Université Paris-Saclay, France 2 - Framatome, France 3 - EDF R&D, France 4 - CEA, Cadarache, France
TopFuel2018-A0102	Behavior of Chromium Coated M5 Claddings upon thermal ramp tests under internal pressure (Loss-of-Coolant Accident Conditions)	Brachet, J.-C. (1); Dumerval, M. (1); Palancher, H. (2); Bischoff, J. (3); Pouillier, E. (4) 1 - CEA, Université Paris-Saclay, France 2 - CEA, Cadarache, France 3 - Framatome, France 4 - EDF R&D, France
TopFuel2018-A0126	Fatigue Behavior of Cold Spray-coated Accident Tolerant Cladding	Ševeček, M. (1); Krejčí, J. (2); Shahin, M. (3); Petřík, J. (1); Ballinger, R. (3); Shirvan, K. (3) 1 - Czech Technical University, Faculty of Nuclear Sciences and Physical Engineering, Czech Republic 2 - UJP Praha, Czech Republic 3 - Massachusetts Institute of Technology, Department of Nuclear Science and Engineering, United States

Tu 15.00 – 16.20 Modelling III: Uncertainty Analysis

Chair: Marco Cherubini, N.I.N.E., Italy

Co-chair: J. Klouzal, UJV Rez, Czech Republic

TopFuel2018-A0023	Progressive Bayesian Calibration of the BISON Fuel Performance Capability	Matthews, C. (1); Stevens, G. (1); Unal, C. (1) 1 - Los Alamos National Laboratory, United States
TopFuel2018-A0082	APPLICATION OF THE POOLSIDE FUEL INSPECTION RESULTS IN THE VALIDATION OF STATISTICAL FUEL ROD PERFORMANCE ANALYSIS	Klouzal, J. (1); Dostál, M. (1); Matocha, V. (1); Hejzlar, J. (1) 1 - UJV Rez, a.s., Czech Republic

TOP FUEL

REACTOR FUEL PERFORMANCE 2018



TopFuel2018-A0097	ANALYSIS OF FRAPCON-4.0's UNCERTAINTIES PREDICTING PCMI DURING POWER RAMPS	Feria, F. (1); Herranz, L. E. (1) 1 - CIEMAT, Spain
TopFuel2018-A0196	SENSITIVITY AND UNCERTAINTY ANALYSIS OF FUEL PERFORMANCE ASSESSMENT OF CHROMIA-DOPED FUEL DURING LARGE-BREAK LOCA	Che, Y. (1); Wu, X. (1); Li, W. (1); Pastore, G. (2); Hales, J. (2); Shirvan, K. (1) 1 - Massachusetts Institute of Technology, United States 2 - Idaho National Laboratory, United States

Tu 15.00 – 16.20 Used fuel: storage, transportation and re-use

Chair: G. Kuri, PSI, Switzerland

Co-chair: C. Cozzo, PSI, Switzerland

TopFuel2018-A0033	POST-IRRADIATION EXAMINATIONS OF HIGH BURNUP PWR FUEL RODS - INITIAL RESULTS	Bevard, B. (1); Montgomery, R. (1); Scaglione, J. (1) 1 - Oak Ridge National Laboratory, United States
TopFuel2018-A0177	High Burnup Spent Fuel Dry Storage Research Project	Waldrop, K. (1); Brookmire, T. (2); Ridder, R. (2); Perone, T. (2); Vitello, B. (2); Perrone, T. (2); Mcgee, D. (3) 1 - Electric Power Research Institute, United States 2 - Dominion Energy, United States 3 - Orano, United States
TopFuel2018-A0203	SPENT FUEL PREPARATION BEFORE DISPOSAL	Langenberger, J. (1); Albrecht, T. (1); Michna, J. (1); Lotaut, Y. (2); Jarousse, C. (2); Pugh, T. (3); Nissen, K. (1) 1 - Framatome GmbH, Germany 2 - Framatome, France 3 - Framatome Inc., United States

Tu 16.20 – 17.00 Coffee Break

TOP FUEL

REACTOR FUEL PERFORMANCE 2018



Tu 17.00 – 18.00 EATF

Chair: M. Rost, Framatome, Germany

Co-chair: R. Van Nieuwenhove, SCK-CEN, Belgium

TopFuel2018-A0011	Progress on Japanese Development of Accident Tolerant FeCrAl-ODS Fuel Claddings for BWRs	Sakamoto, K. (1); Miura, Y. (1); Ukai, S. (2); Kimura, A. (3); Yamaji, A. (4); Kusagaya, K. (5); Kondo, T. (6); Yamashita, S. (7) 1 - NFD, Japan 2 - Hokkaido Uni., Japan 3 - Kyoto Uni., Japan 4 - Waseda Uni., Japan 5 - GNF-J, Japan 6 - Hitachi-GE Nuclear Energy, Japan 7 - JAEA, Japan
TopFuel2018-A0029	FUEL PERFORMANCE ASSESSMENT OF ENHANCED ACCIDENT TOLERANT FUEL USING IRON-BASED ALLOYS AS CLADDING	Giovedi, C. (1); Martins, M. (1); Abe, A. (2); Muniz, R. (2); Gomes, D. (2); Teixeira e Silva, A. (2) 1 - University of São Paulo, Brazil 2 - Nuclear and Energy Research Institute, Brazil
TopFuel2018-A0052	Overcoming sensitization in welds using FeCrAl alloys.	Gupta, V. K. (1); Drobnjak, M. (1); Rebak, R. B. (1); Keck, D. J. (2); Dolley, E. J. (1) 1 - GE Global Research, United States 2 - GE Hitachi Nuclear Energy Americas, United States

Tu 17.00 – 18.00 Modelling IV: Fuel performance analysis (1)

Chair: O. Marchand, IRSN, France

Co-chair: M. Dostal, UJV Rez, Czech Republic

TopFuel2018-A0135	Simulation of RIA transients on MOX fuel rods with ALCYONE fuel performance code	Guénot-Delahaie, I. (1); Sercombe, J. (1); Bouloré, A. (1); Fédérici, E. (1); Largenton, R. (2); Bernaudat, C. (3); Mayot, H. (4) 1 - DEN/DEC, French Alternative Energies and Atomic Energy Commission (CEA), France 2 - Materials and Mechanics of Components Department (MMC), EDF R&D, France 3 - PRC/TC, EDF – DIPNN – DIRECTION TECHNIQUE, France 4 - FRAMATOME, France
TopFuel2018-A0156	Fuel Performance Analysis of EnCore Fuel	Long, Y. (1); Kersting, P. (1); Linsuain, O. (1); Crede, T. (1); Oelrich, R. (1) 1 - Westinghouse Electric Company, LLC, United States



TopFuel2018-A0219	OECD/NEA benchmark on pellet-clad mechanical interaction modelling with fuel performance codes: impact of number of radial pellet cracks and pellet-clad friction coefficient	Dostal, M. (1); Rossiter, G. (2); Dethioux, A. (3); Zhang, J. (3); Amaya, M. (4); Rozzia, D. (5); Williamson, R. (6); Kozłowski, T. (7); Hill, I. (8); Martin, J.-F. (8) 1 - UJV, Czech Republic 2 - NNL, United Kingdom 3 - Tractebel, Belgium 4 - JAEA, Japan 5 - SCK-CEN, Belgium 6 - INL, United States 7 - University of Illinois, United States 8 - OECD/NEA, France
-------------------	---	--

Tu 17.00 – 18.00 Advances in designs, materials and manufacturing

Chair: N. Vollmer, FRAMATOME, Germany Co-chair: P. Gabrielsson, VATTENFALL, Sweden

TopFuel2018-A0078	Out-of-Pile Verification of TRITON11™ BWR Fuel	Bergmann, U. C. (1); Grönlund, M. (1); Stålbom, M. (1) 1 - Westinghouse Electric Sweden AB, Sweden
TopFuel2018-A0039	Study on the Design of Spacer Grid Based on CFD Technology	Chen, J. (1); Chen, P. (1); Zhang, H. (1); Feng, L. (1); Li, Q. (1); Huang, Y. (1); Lei, T. (1) 1 - Science and Technology on Reactor System Design Technology Laboratory, Nuclear Power Institute of China, China
TopFuel2018-A0094	Introduction of 300MW Fuel Assembly Spacer Grid Improvement in QinShan Phase-I NPP	Zhu, L. (1); Gan, F. (1); Ding, J. (1); Zhou, Y. (1) 1 - Shanghai Nuclear Engineering Research & Design Institute, China

Tu 19.30 – 22.30 TopFuel 2018 Conference Dinner



Wednesday 3 October 2018

We 9.00 – 10.20 EATF

Chair: K. Kitano, NRA, Japan

Co-chair: R. Delville, SCK-CEN, Belgium

TopFuel2018-A0054	Peculiarities of stainless steels application as ATF in VVERs	Savchenko, A. (1); Leontieva-Smirnova, M. (1); Kulakov, G. (1); Rechitsky, V. (1); Konovalov, Y. (1); Nikitina, A. (1) 1 - A.A. Bochvar Institute (VNIINM), Russian Federation
TopFuel2018-A0075	Fuel Performance Analysis for enhanced characteristics of the Accident Tolerant Fuel under the Loss-of-Coolant Accident condition	Shin, C. (1); Kim, H. (1); Yang, Y.-S. (1); Hong, J.-D. (1); Lee, S.-U. (1); Yang, J.-H. (1); Kim, T. (2) 1 - Korea Atomic Energy Research Institute, Korea, Republic of 2 - Incheon National University, Korea, Republic of
TopFuel2018-A0080	Corrosion behaviour of FeCrAl-ODS steels in nitric acid solutions at several temperatures	Takahatake, Y. (1); Ambai, H. (1); Sano, Y. (1); Takeuchi, M. (1); Koizumi, K. (1); Sakamoto, K. (2); Yamashita, S. (1) 1 - Japan Atomic Energy Agency, Japan 2 - Nippon Nuclear Fuel Development, Co., Ltd., Japan
TopFuel2018-A0131	Performance Evaluation of Accident Tolerant Fuel Claddings during Severe Accidents of BWRs	Ikegawa, T. (1); Kondo, T. (1); Sakamoto, K. (2); Yamashita, S. (3) 1 - Hitachi-GE Nuclear Energy, Ltd., Japan 2 - Nippon Nuclear Fuel Development, Co., Ltd., Japan 3 - Japan Atomic Energy Agency, Japan

We 9.00 – 10.20 Modelling V: Fuel performance analysis (2)

Chair: L. Zhu, SNERDI, China

Co-chair: O. Marchand, IRSN, France

TopFuel2018-A0229	3D Simulation of power ramps with ALCYONE including fuel thermochemistry and oxygen thermodiffusion	Konarski, P. (1); Sercombe, J. (1); Riglet-martial, C. (1); Frégonèse, M. (2); Chantrenne, P. (2); Zacharie-Aubrun, I. (1) 1 - CEA, DEN, DEC/SESC, France 2 - MATEIS, UMR 5510, INSA-Lyon, France
-------------------	---	---



TopFuel2018-A0237	Modeling Out-of-Pile LOCA Tests on High Burnup Fuel Rods. Results of the fourth SCIP Modeling Workshop	<p>Karlsson, J. (1); Beccau, P. (1); Magnusson, P. (1); Janzon, C. (1); Struzik, C. (2); Dostal, M. (3); Porter, I. (4); Jernkvist, L.-O. (5); Grandi, G. (6); Jönsson, C. (7); Zheng, W. (8); Taurines, T. (9); Marchand, O. (9); Shuo, X. (10); Zwicky, H.-U. (11); Belon, S. (9)</p> <p>1 - Studsvik Nuclear AB, Sweden 2 - CEA Cadarache, France 3 - ÚJV Řež, Czech Republic 4 - Nuclear Regulatory Commission, United States 5 - Quantum Technologies, Sweden 6 - Studsvik Scandpower Inc., United States 7 - Studsvik Scandpower AB, Sweden 8 - China Nuclear Power Technology Research Institute (CNPRI), China 9 - IRS[N]/PSN/SEMIA, Centre d'études de Cadarache, France 10 - Nuclear Power Institute of China (NPIC), China 11 - Zwicky Consulting GmbH, Switzerland</p>
TopFuel2018-A0241	Modeling fission gas release and bubble evolution in UO ₂ for engineering fuel rod analysis	<p>Pastore, G. (1); Barani, T. (2); Pizzocri, D. (2); Magni, A. (2); Luzzi, L. (2)</p> <p>1 - Fuel Modeling and Simulation Department, Idaho National Laboratory, United States 2 - Politecnico di Milano, Department of Energy, Nuclear Engineering Division, Italy</p>

We 9.00 – 10.20 Advances in designs, materials and manufacturing

Chair: D. Schrire, Vattenfall, Sweden Co-chair: R. Daum, EPRI, USA

TopFuel2018-A0101	Commercial introduction and experience with the advanced high iron cladding HiFi in Boiling Water Reactors (BWRs)	<p>Wright, J. (1); Limbäck, M. (1); Owaki, M. (2); Schrire, D. (3); Nilsson, M. (4)</p> <p>1 - Westinghouse Electric Sweden, Sweden 2 - Nuclear Fuel Industries, Japan 3 - Vattenfall Nuclear Fuel, Sweden 4 - OKG Aktiebolag, Sweden</p>
-------------------	---	--

TOP FUEL

REACTOR FUEL PERFORMANCE 2018



TopFuel2018-A0128	IRRADIATION TEST UNDER ADVANCED PWR CONDITIONS IN THE HALDEN REACTOR AND POST-IRRADIATION EXAMINATION OF FUEL ROD CLADDINGS FROM DIFFERENT ZIRCONIUM ALLOYS	Markelov, V. (1); Novikov, V. (1); Saburov, N. (1); Gusev, A. (1); Kon'kov, V. (1); Peregud, M. (1); Dolgov, A. (2); Volkov, B. (3); Andersson, V. (3) 1 - JSC "VNIINM", Russian Federation 2 - JSC "TVEL", Russian Federation 3 - Institute for Energy Technology (IFE), Norway
TopFuel2018-A0180	ADDITIVE MANUFACTURING PAVES THE WAY TO ENHANCED UTILIZATION OF FUEL ASSEMBLIES	Hofbeck, S. (1); Blavius, D. (1); Schweitzer, E. W. (1); Kotzanek, M. (1); Heath, S. (1); Kunz, M. (1); Torrey, S. (2); Leitch, G. (2); Rebeyrolle, V. (3); Cachat, S. (3); Bolsée, G. (3) 1 - Framatome GmbH, Germany 2 - Framatome Inc., United States 3 - Framatome, France
TopFuel2018-A0248	Early Progress on Additive Manufacturing of Nuclear Fuel Materials	Bergeron, A. (1); Crigger, J. (1) 1 - Canadian Nuclear Laboratories, Canada

We 10.20 – 11.10 Coffee Break

We 11.10 – 12.30 EATF

Chair: E. Pouiller, EDF, France

Co-chair: K. Lambrinou, SCK-CEN, Belgium

TopFuel2018-A0145	Westinghouse-Exelon EnCore® Fuel Lead Test Rod (LTR) Program including Coated Cladding Development and Advanced Pellets	Shah, H. (1); Romero, J. (1); Xu, P. (1); Oelrich, R. (1); Walters, J. (1); Gassmann, W. (2); Jonathan, W. (3) 1 - Westinghouse Electric Company, United States 2 - Exelon Nuclear, United States 3 - Westinghouse Electric Sweden, Sweden
TopFuel2018-A0149	Benefits of Framatome's e-ATF evolutionary solution: Cr-coated cladding with Cr2O3-doped fuel	Delafoy, C. (1); Bischoff, J. (1); Larocque, J. (1); Attal, P. (1); Gerken, L. (2); Nimishakavi, K. (2) 1 - Framatome, France 2 - Framatome Inc., United States

TOP FUEL

REACTOR FUEL PERFORMANCE 2018



TopFuel2018-A0220	Inner surface protection of nuclear fuel cladding, towards a full-length treatment by an optimized DLI-MOCVD coating process	<p>Michau, A. (1); Gazal, Y. (2); Maury, F. (2); Duguet, T. (2); Boichot, R. (3); Pons, M. (3); Brachet, J.-C. (4); Monsifrot, E. (5); Maskrot, H. (1); Schuster, F. (6)</p> <p>1 - Den-Service d'Etudes Analytiques et de Réactivité des Surfaces (SEARS), CEA, Université Paris-Saclay, France 2 - CIRIMAT, CNRS/INPT/UPS, France 3 - University Grenoble Alpes, SIMAP, CNRS, France 4 - Den-Service de Recherches Métallurgiques Appliquées (SRMA), CEA, Université Paris-Saclay, France 5 - DEPHIS, France 6 - CEA Cross-Cutting program on Materials and Processes Skills, France</p>
TopFuel2018-A0233	Experimental Behaviour of Chromium Based Coatings	<p>Krejčí, J. (1); Cvrček, L. (2); Šutta, P. (3); Bublíková, P. (4); Ševeček, M. (1); Kabátová, J. (5); Kočí, J. (5); Manoch, F. (5); Halodová, P. (4); Namburi, H. K. (4); Málek, J. (2); Krum, S. (2)</p> <p>1 - Faculty of Nuclear Science and Physical Engineering, Czech Technical University in Prague, Czech Republic 2 - Faculty of Mechanical Engineering, Czech Technical University in Prague, Czech Republic 3 - University of West Bohemia, New Technologies - Research Centre, Pilsen, Czech Republic 4 - Research Centre Řež, Husinec – Řež, Czech Republic 5 - UJP PRAHA a.s., Czech Republic</p>
<p>We 11.10 – 12.30 Modelling VI: Mechanical and CFD Codes Chair: J. John, ONR, U.K. Co-chair: F. CURCA-TIVIG, Framatome, Germany</p>		
TopFuel2018-A0045	EFFECT OF THE CHARACTERISTIC PARAMETER ON THE SEISMIC MARGIN OF FUEL ASSEMBLY	<p>Kim, D.-H. (1); Lee, J.-W. (2)</p> <p>1 - KHNP CRI, Korea, Republic of 2 - KEPCO E&C, Korea, Republic of</p>
TopFuel2018-A0079	PWR fuel rod vibration simulation analysis for estimating grid-to-rod-fretting (GTRF)	<p>Matías, R. (1); Cantón, R. (1); Jiménez, G. (2)</p> <p>1 - ENUSA Industrias Avanzadas, S.A., S.M.E, Spain 2 - Universidad Politécnica de Madrid, Spain</p>

TOP FUEL

REACTOR FUEL PERFORMANCE 2018



TopFuel2018-A0210	FRAMATOME'S STATE-OF-THE-ART CFD METHODOLOGIES FOR INDUSTRIAL APPLICATIONS TO NUCLEAR REACTORS	Dumond, J. (1); Rehm, M. (1); Hatman, A. (2); Pacull, J. (3); Charlot, L. (2); Marx, V. (1); Bezard, M. (3); Farges, B. (3); Mery de Montigny, E. (3) 1 - Framatome GmbH, Germany 2 - Framatome Inc, United States 3 - Framatome SAS, France
TopFuel2018-A0250	A UK REGULATORY PERSPECTIVE ON COMPUTATIONAL FLUID DYNAMICS FOR NUCLEAR SAFETY ANALYSIS	Downing, J. (1); Jones, J. (1); Tehrani, A. (1); Moscrop, R. (1) 1 - Office for Nuclear Regulation, United Kingdom

We 11.10 – 12.30 Used fuel: storage, transportation and re-use

Chair: S. Abolhassani, PSI, Switzerland Co-chair: K. Sakamoto, Nippon Nuclear Fuel Development, Japan (tbc)

TopFuel2018-A0218	TRANSPORT OF IRRADIATED NUCLEAR FUEL BETWEEN REACTOR SITES FOR FURTHER USE	Land, R. (1); Nilsson, S. (2); Winge, F. (3) 1 - Vattenfall Nuclear Fuel AB, Sweden 2 - Forsmark NPP, Sweden 3 - Ringhals NPP, Sweden
TopFuel2018-A0224	ENUSA INTEGRAL SOLUTION TO FOR INTERGRANULAR STRESS CORROSION CRACKING ON EARLY 17X17 PWR DESIGNS	García de la Infanta, J. M. (1); Canencia Hernanz, R. (1); De Navas Gutiérrez, I. (2); Blanco González, D. (3) 1 - Spent Fuel, ENUSA Industrias Avanzadas, Spain 2 - Equipment Development, ENUSA Industrias Avanzadas, Spain 3 - On Site Fuel Services, ENUSA Industrias Avanzadas, Spain
TopFuel2018-A0225	SIPPING OF FUEL ASSEMBLIES	Lotaut, Y. (1); Coustourier, F. (1); Jarousse, C. (1); Pugh, T. (2); Langenberger, J. (3); Hummel, W. (3); Albrecht, T. (3) 1 - Framatome, France 2 - Framatome Inc, United States 3 - Framatome GmbH, Germany
TopFuel2018-A0230	ADVANCED VACUUM SIPPING FOR SPENT FUEL CLASSIFICATION	De Tena-Sávila Sarmentero, P. (1); Ramos Gallardo, A. (1); Sánchez, A. (1) 1 - ENUSA Industrias Avanzadas, Spain

We 12.30 – 13.30 Lunch Break

We 13.30 – 15.10 Operation & Experiences

Chair: N. Vollmer, Framatome, Germany Co-chair: Z. Karoutas, Westinghouse, United States

TopFuel2018-A0185	INVESTIGATION OF THE DEVELOPMENT OF FUEL ASSEMBLY BOW IN RINGHALS 3 AND 4	Gabrielsson, P. (1); Schrire, D. (1); Malmberg, M. (2); Suvdantsetseg, E. (1) 1 - Vattenfall Nuclear Fuel AB, Sweden 2 - Ringhals AB, Sweden
TopFuel2018-A0205	POOLSIDE INSPECTIONS AT LOVIISA NPP	Lehtinen, I.-V. (1) 1 - Fortum Power and Heat Oy, Finland
TopFuel2018-A0217	End of life inspection of fuel that had experienced transient dryout in Forsmark 2	Aspman, A. (1); Schrire, D. (2) 1 - Forsmarks Kraftgrupp AB, Sweden 2 - Vattenfall Nuclear Fuel AB, Sweden
TopFuel2018-A0245	ARGOS - Implementation of Framatome's Universal Core Monitoring System on the European Market	Krieger, T. (1); Merk, S. (2); Paul, T. (1); Meyer, L. (3) 1 - Framatome GmbH, Germany 2 - AREVA INC, United States 3 - Kernkraftwerk Gösgen-Däniken AG, Switzerland
TopFuel2018-A0251	POST IRRADIATION EXAMINATIONS OF GAIA LEAD FUEL ASSEMBLIES	Gebhardt, C. (1); D'Orio, S. (2); Gentet, G. (3) 1 - Framatome GmbH, Germany 2 - Framatome Inc, United States 3 - Framatome SAS, France

We 13.30 – 15.10 Modelling VII: Advanced Codes and Methods

Chair: F. CURCA-TIVIG, Framatome, Germany Co-chair: G. GRANDI, Studsvik Scandpower, USA

TopFuel2018-A0183	UPDATE ON FRAMATOME'S ADVANCED SOLUTIONS AS A SERVICE SUPPORT TO REACTOR LIFETIME EXTENSION	Plancher, J. (1); Duperray, B. (1); Zheng, S. (1); Morichau-beauchant, C. (1); Chapoutier, N. (1); Segard, K. (2); Marten, J. (3) 1 - FRAMATOME, France 2 - FRAMATOME Inc, United States 3 - FRAMATOME GmbH, Germany
TopFuel2018-A0192	ARTEMIS / RELAP5 INTEGRATED TRANSIENT ANALYSIS APPLICATION TO NON-LOCA TRANSIENTS	Maupin, K. (1); Bobolea, R. (1); Walters, W. (1); Parker, J. (1); Segard, K. (1); Barner, R. (1); Deveney, R. (1) 1 - Framatome, United States
TopFuel2018-A0194	USAGE OF ARCADIA CODE SYSTEM FOR NEUTRONIC AND THERMAL-HYDRAULIC CORE ANALYSES TO SUPPORT THE CRUD RISK ASSESSMENT OF A THREE-LOOP PLANT	Monti, L. (1); Jones, J. (2); Bildstein, D. (1); Hove, C. (2); Lockamon, B. (2); Steyn, S. (3) 1 - Framatome SAS, France 2 - Framatome Inc, United States 3 - Eskom Holdings SOC Ltd, South Africa

TOP FUEL

REACTOR FUEL PERFORMANCE 2018



TopFuel2018-A0235	Successful deployment of FRAMATOME advanced PWR Codes and Methods worldwide	Bigot, J. (1); Segard, K. (2); Brock, R. (2); Parker, J. (2); Curcavig, F. (3); Kuch, S. (3) 1 - Fuels France, Framatome, France 2 - US Fuels, Framatome, United States 3 - Fuels Germany, Framatome, Germany
TopFuel2018-A0247	Seismic analysis of a full 3D reactor core using multi-physics modeling methodology	Baylor, J. (1); Choi, J. (1); Touran, N. (1); Werner, M. (1); Cohen, M. (1) 1 - TerraPower, LLC, United States

We 13.30 – 15.10 Used fuel: storage, transportation and re-use

Chair: J. Bertsch, PSI, Switzerland

Co-chair: H.K. Kim, Republic of Korea

TopFuel2018-A0238	Oxidation of UO ₂ in dry and wet atmospheres	Leinders, G. (1); Ozdemir, O. (1); Pakarinen, J. (1); Delville, R. (1); Verwerft, M. (1) 1 - Institute for Nuclear Materials Science, Belgian Nuclear Research Centre (SCK•CEN), Belgium
TopFuel2018-A0249	Handling, Transport and Program for Post-Irradiation Examination of Special Fuel Rods	Benen, A. (1); Hüttmann, A. (1); Lundberg, S. (1); Chazalet, A. (2); Karlsson, J. K. -H. (2); Puranen, A. (2); Tejlund, P. (2); Askeljung, C. (2); Alvarez, A.-M. (2); Johnson, K. (2) 1 - Vattenfall Europe Nuclear Energy GmbH, Germany 2 - Studsvik Nuclear AB, Sweden
TopFuel2018-A0009	A Study to Evaluate the Handling Integrity of Spent Nuclear Fuel for Dry Storage in Korea	Kim, H. K. (1); Lee, J. J. (1); Kim, K. J. (1); Sin, G. C. (1); Lee, S. K. (1); Kim, Y. H. (1) 1 - KEPCO NF, Korea, Republic of
TopFuel2018-A0118	Impact of Fuel-Cladding Bonding on the Response of High Burnup Spent Fuel Subjected to Transportation and Handling Accidents	Lyon, W. (1); Mai, A. (1); Liu, W. (1); Rashid, J. (1); Machiels, A. (2); Waldrop, K. (2); Capps, N. (2) 1 - Structural Integrity Associates, Inc., United States 2 - Electric Power Research Institute, United States



TopFuel2018- A0129	Mechanical Integrity of Used Nuclear Fuel: From Experimental to Numerical Studies	Vlassopoulos, E. (1); Caruso, S. (2); Grünberg, P. (2); Papaioannou, D. (3); Nasyrow, R. (3); Fongaro, L. (3); Rondinella, V. (3); Somers, J. (3); Gretter, R. (3); Pautz, A. (1); Helfenstein, J. (4); Schwizer, P. (4); Raffuzzi, V. (2) 1 - Swiss Federal Institute of Technology in Lausanne (EPFL), Switzerland 2 - National Cooperative for the Disposal of Radioactive Waste (Nagra), Switzerland 3 - European Commission, Joint Research Centre, Directorate for Nuclear Safety and Security, Karlsruhe, Germany 4 - CADFEM (Suisse) AG, Switzerland
-----------------------	--	--

Thursday 4 October 2018

Technical Tours



Poster

Poster will be on display during the entire duration of the conference.

A Poster Session on Tuesday 2 October from 2 pm – 3pm will allow you to discuss the presentations with the authors.

Poster Operation & Experience

TopFuel2018-A0066	Using Laser remote heating to simulate extreme thermal loads on nuclear fuels during annealing tests	Vidal, T. (1); Gallais, L. (1); Faucheux, J. (2); Capdevilla, H. (2); Pontillon, Y. (2) 1 - Aix Marseille Univ, CNRS, Centrale Marseille, Institut Fresnel, Marseille, France, France 2 - CEA, DEN/CAD/DEC/SA3E, Laboratoire d'Analyse de la Migration des Radioelements, 13108 Saint-Paul-lez-Durance, France, France
TopFuel2018-A0092	ULTRASONIC SYSTEM FOR NUCLEAR FUEL GEOMETRICAL CHANGES EVALUATION	Kopeć, M. (1); Malá, M. (1); Klouzal, J. (2) 1 - Centrum Výzkumu Řež, Czech Republic 2 - ÚJV Řež, Czech Republic
TopFuel2018-A0120	Development of digital X-ray radiography system for BWR control blade inspection	Yoon, B. (1); Beale, J. (1); Mervin, B. (1); Daum, R. (1) 1 - EPRI, United States
TopFuel2018-A0201	Synchrotron X-ray study on Determination of Zirconium Oxide Stoichiometry in Hydrogenated Water	Kim, T. (1); Kim, S. (1); Yoo, S. C. (1); Ham, J. (1); Lee, Y. (1); Kim, J. H. (1) 1 - Ulsan National Institute of Science and Technology, Korea, Republic of
TopFuel2018-A0254	RING TENSILE TEST OF REFERENCE ZIRCALOY CLADDING TUBE AS A PROOF OF PRINCIPLE FOR HOTCELL SETUP	Nindiyasari, F. (1); Ter Pierick, P. (1); Boomstra, D. (1); Pandit, A. (1) 1 - Nuclear Research & Consultancy Group (NRG), Netherlands

Poster Used Fuel

TopFuel2018-A0003	A CFD analysis of thermal behavior in passive heat removal system of dry storage cask under different conditions	Kang, G.-U. (1); Yook, D.-S. (1); Cha, J.-H. (1) 1 - Korea Institute of Nuclear Safety, Korea, Republic of
TopFuel2018-A0035	Non-standard crack analysis of high-burnup fuel cladding with radial-hydride	Shen, T. (1); Zhu, S. (1) 1 - China Nuclear Power Engineering Co.,LTD., China

TOP FUEL

REACTOR FUEL PERFORMANCE 2018



TopFuel2018-A0047	Development of regulatory requirements for safety information for spent nuclear fuel characteristics evaluation in Korea	Yook, D. (1); Kang, G.-U. (1); Go, A. (1) 1 - Korea Institute of Nuclear Safety, Korea, Republic of
TopFuel2018-A0049	Ductility of pre-hydrided Zircaloy-4 cladding after creep deformation	Hong, J.-D. (1); Kim, E. (1); Kook, D.-H. (1) 1 - Korea Atomic Energy Research Institute, Korea, Republic of
TopFuel2018-A0056	STAR-CCM+ simulation of a spent fuel dry cask external cooling by natural convection	Benavides, J. (1); Jimenez, G. (1); Galbán, M. (2); Lloret, M. (2) 1 - Universidad Politécnica de Madrid, Spain 2 - ENUSA Industrias Avanzadas S.A. S.M.E, Spain
TopFuel2018-A0077	The effect of final heat treatment at fabrication on the terminal solid solubility of hydrogen in Zry-4	Yamauchi, A. (1); Amaya, M. (1) 1 - Japan Atomic Energy Agency, Japan
TopFuel2018-A0091	THERMAL ANALYSIS OF QM400 DRY STORAGE MODULE WITHOUT THERMAL BAFFLES	Zhu, L. (1); Gan, F. (1); Zuo, Q. (1); Xu, Z. (1) 1 - Shanghai Nuclear Engineering Research & Design Institute, China
TopFuel2018-A0173	QUIVERS FOR DAMAGED FUEL RODS – DISPOSAL IN CASTOR® V CASKS	Cebula, W. (1); Bannani, A. (1); Funke, T. (1); Di Paola, O. (1); Hüggenberg, R. (1) 1 - GNS Gesellschaft für Nuklear-Service mbH, Germany
TopFuel2018-A0175	Spent Fuel Dry Storage Cast Thermal Modeling Round Robin	Csontos, A. (1); Durbin, S. (2); Hanson, B. (3); Waldrop, K. (1); Broussard, J. (4); Lenci, G. (4) 1 - Electric Power Reserach Institute, United States 2 - Sandia National Laboratories, United States 3 - Pacific Northwest National Laboratory, United States 4 - Dominion Engineering Inc., United States
TopFuel2018-A0188	Temperature calculations in spent nuclear fuel cask using COBRA-SFS	Galbán Barahona, M. (1); Lloret Llorca, M. (1); Benavides Rodríguez, J. (2); Jiménez Varas, G. (2) 1 - ENUSA Industrias Avanzadas S.A., S.M.E, Spain 2 - Universidad Politécnica de Madrid (UPM) - Escuela Técnica Superior de Ingenieros Industriales, Spain



TopFuel2018-A0215	Development of smart material-based structural integrity monitoring sensors for detecting the fracture sign in dry storage canisters	Kim, Y. (1); Yoon, S. (2); Kim, T. (1); Chung, S. (1) 1 - Spent Nuclear Technongy Team, Central Research Institute, Korea Hydro & Nuclear Power Corporation, Korea, Republic of 2 - Department of Mechanical Engineering, Inha University, Korea, Republic of
TopFuel2018-A0221	Thermal performance evaluation of cylindrical modular type dry storage system for PWR spent nuclear fuel using CFD.	Kim, T. (1); Kim, Y. (1); Chung, S. (1) 1 - Spent Nuclear Technology Team, Central Research Institute, Korea Hydro & Nuclear Power Corporation, Korea, Republic of

Poster Advances in Designs, Materials and Manufacturing

TopFuel2018-A0006	The Main Principles Of Irradiated Dispersion Type Fuel For Floating Power Unit Behavior	Kulakov, G. (1); Vatulin, A. (1); Ershov, S. (1); Konovalov, Y. (1); Morozov, A. (1); Sorokin, V. (1); Fedotov, V. (1); Shishin, V. (2); Ovchinnikov, V. (2); Sheldyakov, A. (2) 1 - A.A. Bochvar High-Technology Research Institute of Inorganic Materials, Russian Federation 2 - State Scientific Center of Russian Federation - Research Institute of Atomic Reactors, Russian Federation
TopFuel2018-A0007	Study Of Modified Zirconium Alloys Claddings After Irradiation	Kulakov, G. (1); Vatulin, A. (1); Konovalov, Y. (1); Kosaurov, A. (1); Nikulina, A. (1); Peregud, M. (1); Shishin, V. (2); Sheldyakov, A. (2); Ovchinnikov, V. (2) 1 - A.A. Bochvar High-Technology Research Institute of Inorganic Materials, Russian Federation 2 - State Scientific Center of Russian Federation - Research Institute of Atomic Reactors, Russian Federation
TopFuel2018-A0143	Improvements on nuclear fuel manufacturing for reliable performance in the reactor	Romero, Y. (1); Herrero, J. Á. (1); Aulló, M. (1) 1 - ENUSA INDUSTRIAS AVANZADAS, S.A., Spain
TopFuel2018-A0227	DEVELOPMENT OF COBALT ADJUSTER ROD FOR CO-60 MEDICAL RADIOACTIVE SOURCES PRODUCTION IN CHINA CANDU-	Zhu, L. (1); Ding, J. (1); Yu, D. (1); Tang, C. (1); Li, H. (1); Qin, H. (1); Chen, X. (1)

6 REACTOR

1 - Shanghai Nuclear Engineering Research & Design Institute, China

Poster Transient Fuel Behaviour

TopFuel2018-A0069	ON SAFETY OBJECTIVES FOR CANDU FUEL IN DESIGN EXTENSION CONDITIONS	Suk, H. C. (1); Couture, M. (1) 1 - Canadian Nuclear Safety Commission, Canada
TopFuel2018-A0108	FEASIBILITY ASSESSMENT FOR DEVELOPING AN INTEGRAL LOCA TESTING CAPABILITY AT THE TRANSIENT RESEARCH TEST (TREAT) REACTOR	Kammerman, D. (1); Woolstenhulme, N. (1); Wachs, D. (1); Jensen, C. (1); Davis, C. (1); Oldham, N. (1) 1 - Idaho National Laboratory, United States
TopFuel2018-A0139	SPECIATION AND RELEASE KINETICS OF THE FISSION PRODUCTS Mo, Cs, Ba and I FROM NUCLEAR FUELS IN SEVERE ACCIDENT CONDITIONS	Riglet-Martial, C. (1); Sercombe, J. (1); Pontillon, Y. (1) 1 - Atomic Energy and Alternative Energy Commission CEA/DEN/DEC, France
TopFuel2018-A0242	Transient Testing Strategy for Accident Tolerant Fuels	Wachs, D. (1); Jensen, C. (1); Woolstenhulme, N. (1) 1 - Idaho National Laboratory, United States

Poster Modelling, Analysis and Methods

TopFuel2018-A0027	REACTIVITY INITIATED ACCIDENT ANALYSIS METHOD USING MULTI-PHYSICS COUPLED CODE SYSTEM BASED ON RAST-K v2.0	Shin, H. C. (1); Kim, H. (2); Park, J. (2); Lee, D. (2) 1 - Korea Hydro & Nuclear Power Corporation, Korea, Republic of 2 - Department of Nuclear Engineering, Ulsan National Institute of Science and Technology, Korea, Republic of
TopFuel2018-A0032	AN APPROACH TO THE SIMULATION OF THE BEHAVIOUR OF ACCIDENT TOLERANT FUELS	Marino, A. (1); Furlano, L. (1); Demarco, G. (1); Mosca, H. (1); Bozzolo, G. (1) 1 - Comisión Nacional de Energía Atómica, Argentina

TOP FUEL

REACTOR FUEL PERFORMANCE 2018



TopFuel2018-A0057	Study on the large deformation module in FRAPTRAN 2.0	Lee, S.-U. (1); Kim, H.-C. (1); Yang, Y.-S. (1); Shin, C.-H. (1) 1 - Korea Atomic Energy Research Institute, Korea, Republic of
TopFuel2018-A0065	Development of experimental platform for analysis and imaging of fuel pellets heated at high temperature	Vidal, T. (1); Gallais, L. (1); Burla, R. (1); Martin, F. (2); Capdevilla, H. (2); Pontillon, Y. (2) 1 - Aix Marseille Univ, CNRS, France 2 - CEA, DEN/CAD/DEC/SA3E, Laboratoire d'Analyse de la Migration des Radioelements, France
TopFuel2018-A0067	Extension of the TRANSURANUS fuel performance code for uncertainty/sensitivity analyses and its application to design-based accidents (DBA)	Schubert, A. (1); Soti, Z. (1); Van Uffelen, P. (1) 1 - European Commission, Joint Research Centre, Directorate G - Nuclear Safety and Security, Germany
TopFuel2018-A0071	EXTENDED VALIDATION OF ENGINEERING MODELS FOR EXPRESS-METHOD OF BURNUP EVALUATION OF WWER 1000 FUEL ELEMENTS	Vilkhivskaya, O. (1); Likhanskii, V. (1); Igor, E. (1); Afanasieva, E. (1); Sorokin, A. (1) 1 - SC "SRC RF TRINITI", Russian Federation
TopFuel2018-A0117	OPTIMIZATION OF FAST FISSION GAS RELEASE MODEL PARAMETERS USING MACHINE LEARNING ACCELERATED EVOLUTIONARY ALGORITHMS	Johns, J. (1); Geelhood, K. (1) 1 - Pacific Northwest National Laboratory, United States
TopFuel2018-A0127	Application of constrained Gibbs energy minimization to nuclear fuel thermochemistry	Loukusa, H. (1); Valtavirta, V. (1) 1 - VTT Technical Research Centre of Finland Ltd., Finland
TopFuel2018-A0176	Residual stress/strain analysis in UO ₂ spent fuel by synchrotron micro-beam X-ray diffraction	Kuri, G. (1); Martin, M. (1); Bertsch, J. (1) 1 - Paul Scherrer Institute, Switzerland
TopFuel2018-A0253	Analysis of thermal conductivity degradation in irradiated UO ₂ fuel due to porosity formation at high burnup	Roostaii, B. (1); Kazeminejad, H. (1); Khakshournia, S. (1) 1 - Nuclear Science and Technology Research Institute (NSTRI), Iran, Islamic Republic of

Poster EATF

TopFuel2018-A0012	Analysis of Irradiation Matrix for the Japanese FeCrAl-ODS Test Fuel Rods Irradiations at the Halden Reactor using FEMAXI-7 code	Susuki, N. (1); Yamaji, A. (1); Kusagaya, K. (2); Sakamoto, K. (3); Yamashita, S. (4) 1 - Waseda University, Japan 2 - Global Nuclear Fuel-Japan, Japan 3 - Nippon Nuclear Fuel Development, Japan 4 - Japan Atomic Energy Agency, Japan
TopFuel2018-A0026	Steam oxidation of SiC at temperatures above 1600°C	Pham, V. H. (1); Nagae, Y. (1); Kurata, M. (1) 1 - Japan Atomic Energy Agency, Collaborative Laboratories for Advanced Decommissioning Science, Japan
TopFuel2018-A0053	Assessing the electrochemical behavior of ferritic FeCrAl alloys in high temperature water.	Rebak, R. B. (1); Jurewicz, T. B. (1); Dolley, E. J. (1) 1 - GE Global Research, United States
TopFuel2018-A0062	Development Status of Microcell UO ₂ Pellet with Enhanced Thermal Conductivity for ATF	Kim, D.-J. (1); Kim, K. S. (1); Kim, D.-S. (1); Oh, J. S. (1); Kim, J. H. (1); Jeon, S. C. (1); Yang, J. H. (1) 1 - Korea Atomic Energy Research Institute, Korea, Republic of
TopFuel2018-A0072	Improvement of Corrosion Resistant Coating for Silicon-carbide Fuel Cladding in Oxygenated High Temperature Water	Ishibashi, R. (1); Tanabe, S. (1); Kondo, T. (1); Yamashita, S. (2); Fukahori, T. (2) 1 - Hitachi-GE Nuclear Energy, Ltd, Japan 2 - Japan Atomic Energy Agency, Japan
TopFuel2018-A0073	Welding Technology R&D of Japanese Accident Tolerant FeCrAl-ODS fuel claddings for BWRs (2)	Kimura, A. (1); Yuzawa, S. (1); Yabuuchi, K. (1); Sakamoto, K. (2); Hirai, M. (2); Ukai, S. (3); Yamaji, A. (4); Kusagaya, K. (5); Kondo, T. (6); Yamashita, S. (7); Yamasaki, Y. (1) 1 - Kyoto University, Japan 2 - Nippon Nuclear Fuel Development, Japan 3 - Hokkaido University, Japan 4 - Waseda University, Japan 5 - Global Nuclear Fuel - Japan, Japan 6 - Hitachi GE, Japan 7 - Japan Atomic Energy Agency, Japan

TOP FUEL

REACTOR FUEL PERFORMANCE 2018



TopFuel2018-A0083	Effects of dissolved oxygen and ion irradiation on the corrosion of FeCrAl-ODS in high-temperature water simulating BWR operating conditions	Sato, T. (1); Nakahara, Y. (1); Ueno, F. (1); Sakamoto, K. (2); Yamashita, S. (1) 1 - Japan Atomic Energy Agency, Japan 2 - Nippon Nuclear Fuel Development, Co., Ltd., Japan
TopFuel2018-A0102	Behavior of Chromium Coated M5 Claddings upon thermal ramp tests under internal pressure (LOss-of-Coolant Accident Conditions)	Brachet, J.-C. (1); Dumerval, M. (1); Palanchar, H. (2); Bischoff, J. (3); Pouillier, E. (4) 1 - CEA, Université Paris-Saclay, France 2 - CEA, Cadarache, France 3 - Framatome, France 4 - EDF R&D, France
TopFuel2018-A0115	MODELING AND ASSESSMENT OF EBR-II FUEL WITH THE US NRC's FAST FUEL PERFORMANCE CODE	Geelhood, K. (1); Porter, I. (2) 1 - Pacific Northwest National Laboratory, United States 2 - United States Nuclear Regulatory Commission, United States
TopFuel2018-A0193	Experimental Investigation of Cold-Spray Chromium Coating	Shahin, M. (1); Petrik, J. (1); Seshadri, A. (1); Philips, B. (1); Shirvan, K. (1) 1 - Massachusetts Institute of Technology, United States
TopFuel2018-A0213	Nanocrystalline diamond protects Zr cladding surface against oxygen and hydrogen uptake: Nuclear fuel durability enhancement	Kratochvilova, I. (1); Skoda, R. (2); Ashcheulov, P. (1); Macak, J. (3); Xu, P. (4) 1 - Institute of Physics of the Czech Academy of Sciences, Czech Republic 2 - Czech Technical University in Prague, Czech Republic 3 - University of Chemistry and Technology, Power Engineering Department, Czech Republic 4 - Westinghouse Churchill Site, United States
TopFuel2018-A0214	Fission Gas Behavior of U3Si2 under LWRs Conditions: Experimental and Computational Study	Yacout, A. (1); Miao, Y. (1) 1 - Argonne National Laboratory, United States



All TopFuel 2018 papers have been peer-reviewed to make sure the content is new and relevant to you.

We would like to thank the following experts for their participation in the peer-review:

- David Schrire, Vattenfall Nuclear Fuel, Sweden
- Hideyuki Teshima, Mitsubishi Nuclear Fuel Co., LTD, Japan
- Nadine Hollasky, BelV, Belgium
- Peng Xu, Westinghouse Electric Corporation, USA
- Zeses Karoutas, Westinghouse Electric Corporation, USA
- Jean Desquines, IRSN, France
- Jesús Ruiz-Hervías, Universidad Politécnica de Madrid, Spain
- M.A. Martín Rengel, Universidad Politécnica de Madrid, Spain
- Cristina Muñoz-Reja Ruiz, ENUSA industrias Avanzadas, Spain
- Irene de Navas Gutiérrez, ENUSA industrias Avanzadas, Spain
- Rob Daum, Electric Power Research Institute, United States
- Ken Yueh, Electric Power Research Institute, United States
- Ruwan Ratnayake, Electric Power Research Institute, United States
- Byungsik Yoon, Electric Power Research Institute, United States
- Nathan Capps, Electric Power Research Institute, United States
- Fred Smith, Electric Power Research Institute, United States
- Bo Cheng, Electric Power Research Institute, United States
- Petra-Britt Hoffmann, Framatome, Germany
- Elmar Schweitzer, Framatome, Germany
- Andreas Möckel, Framatome, Germany
- Jeff Reed, Framatome, Germany
- Aylin Kucuk, EPRI, United States
- Carl Adamsson, Vattenfall Nuclear Fuel, Sweden
- Marco Cherubini, NINE, Italy
- Valeria Parrinello, NINE, Italy
- Domenico De Luca, NINE, Italy
- Lisa Lampunio, NINE, Italy
- Alexandru Pop, NINE, Italy
- Walter Giannotti, NINE, Italy
- Fulvio Terzuoli, NINE, Italy
- Fabio Moretti, NINE, Italy
- Francesco Corleoni, NINE, Italy
- Manuele Aufiero, Milano Multiphysics, Italy
- Joakim Karlsson, Studsvik, Sweden
- Zoltan Hozer, MTA EK, Hungary

TOP FUEL

REACTOR FUEL PERFORMANCE 2018



- Christine Struzik, CEA, France
- Grigory Khvostov, PSI, Switzerland
- Jerome Sercombe, CEA, France
- Ian Arimescu, Framatome, U.S.A.
- Paul van Uffelen, EC JRC, Germany
- Jinzhao Zhang, Tractebel, Belgium
- Arndt Schubert, EC JRC, Germany
- Johannes Bertsch, PSI, Switzerland
- Tomasz Kozlowski, University of Illinois, U.S.A.
- Andreas Wanninger, Technical University of Munich, Germany
- Kenneth J. Geelhood, PNNL, U.S.A.
- Giovanni Pastore, INL, U.S.A.
- J. Klouzal, UJV Rez, Czech Republic
- M. Dostal, UJV Rez, Czech Republic
- Roger Y. Lu, Westinghouse, U.S.A.
- Richard L. Williamson, INL, U.S.A.
- Armando Marino, CNEA, Argentina
- Paul Van Uffelen, EC JRC, Germany
- Dmitry A. Chulkin, VNIINM, Russia
- Glyn Rossiter, NNL, United Kingdom
- Arndt Schubert, EC JRC, Germany
- Vincenzo Rondinella, EC JRC, Germany
- Zoltán Hózer, MTA EK, Hungary
- Hideyuki Teshima, JAEA, Japan
- Jane X. Jiang, Westinghouse, U.S.A.
- Aycart, Jose G, GE, U.S.A.
- D. Mitchell, Westinghouse, U.S.A.
- Vincent Busser, IRSN, France
- Francisco Feria, Ciemat, Spain
- Olivier Marchand, IRSN, France



The technical programme has been created under the auspices of the TopFuel 2018 Programme Committee:

Martin Dostal, UJV, Czech Republic
 Peng Xu, Westinghouse, US
 Magnus Limback, Westinghouse, Sweden
 Zeses Karoutas, Westinghouse
 José Aycart, GE-Hitachi, Spain
 Manuel Quecedo, ENUSA, Spain
 Nico Vollmer, Framatome, Germany
 Johannes Bertsch, Paul Scherrer Institut, Switzerland
 David Schrire, Vattenfall, Sweden
 Jinzhao ZHANG, Tractebel (Engie), Belgium
 Nadine Hollasky, Bel V, Belgium
 Nicolas Waeckel, EDF, France
 Kunihiko Itoh, NDC, Japan
 Hideyuki Teshima, MNF, Japan
 Mutsumi Hirai, NFD, Japan
 Masaki Amaya, JAEA, Japan
 Masami Uno, University of Fukui, Japan
 Takanari Ogata, CRIEPI, Japan
 Mikhail Veshchunov, IAEA, Int.
 Yang-Hyun Koo, KAERI, Korea
 Libing Zhu, Shanghai Nuclear Engineering Research and Design Institute (SNERDI), China
 Robert Daum, EPRI, US
 Vladimir Markelov, Bochvar Institute, Russian Federation
 Marco Cherubini, GRNSPG - University of Pisa, Italy
 Fu Xian Gang, CGNPC, China
 Marc Verwerft, SCK-CEN, Belgium
 Olivier Marchand, IRSN, France

TopFuel 2018 Track Leaders and supporting members:

- Operation and experience: Manuel Quecedo, David Schrire
- Modelling: Marco Cherubini, Jinzhao Zhang, Martin Dostal
- EATF: Marc Verwerft, Johannes Bertsch, Nico Vollmer, Nicolas Waeckel
- Transient fuel behaviour: Nicolas Waeckel
- Used fuel: Johannes Bertsch, Manuel Quecedo, Marc Verwerft
- Advances in fuel design: David Schrire, Nico Vollmer

